

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[nguyenvanhua1992@gmail.com](#) | [My Account](#) | [Sign out](#)

Google scholar

event and client and application and server and

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

Scholar [Articles and patents](#) [anytime](#) [include citations](#) Results **1 - 100** of about **14,400**. (0.41 sec)

Performance evaluation of **client-server** systems- [ufpe.br](#) (PDF)

OC Ibe, H Choi, KS Trivedi - IEEE Transactions on Parallel and Distributed Systems, 1993 - doi.ieeecomputersociety.org
... appropriate operation (or a sequence of suboperations) for that **application**. ... X. Thus,
the firing of ttn represents the **event** that the **client** has generated ...

[Cited by 39](#) - [Related articles](#) - [All 12 versions](#)

Client/server communication system utilizing a self-generating nodal network

RA Cwikowski, H Tang - US Patent 5,325,527, 1994 - Google Patents

... foregoing discussion with regards to one **client** topic node ... The present **application**
program has the capability of ... is used for issuing a ready-**event** command in ...

[Cited by 31](#) - [Related articles](#) - [All 2 versions](#)

The interactive performance of SLIM: a stateless, thin-**client** architecture- [psu.edu](#) (PDF)

BK Schmidt, MS Lam, JD Northcutt - Proceedings of the seventeenth ACM symposium on ..., 1999 - portal.acm.org
... processing time is needed to service an **event** without instrumenting ... to emulate users,
but timing dependencies between the **client** (eg **application**) and **server** ...

[Cited by 102](#) - [Related articles](#) - [BL Direct](#) - [All 59 versions](#)

Network **server** having dynamic load balancing of messages in both inbound and outbound ...

AR Basilico - US Patent 5,864,535, 1999 - Google Patents

... bus 52 includes a microprocessor or **application** specific integrated ... In the **event**
of a hardware failure, for example ... a subsequent login of the **client** workstations ...

[Cited by 31](#) - [Related articles](#) - [All 4 versions](#)

[PDF] **A distributed location system for the active oce**

A Harter, A Hopper - IEEE network, 1994 - Citeseer

... action on detecting incompatibility is **client** dependent, but ... use of further button
events, particularly those ... the environment with an **application** showing the co ...

[Cited by 448](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 14 versions](#)

Collaborative information processing system and **workstation**

T Ishizaki, Y Nakayama, K Mori, F Nakamura, ... - US Patent 5,379,374, 1995 - Google Patents

... accomplishing **communications** via speech or send the **event** received from ... rectly to
the **client** program ... provided to be connected to the each **application** or **client** ...

[Cited by 38](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] *Measuring the impact of **event** dispatching and concurrency models on web **server** ...](#)

JC Hu, I Pyarali, DC Schmidt - GLOBECOM-NEW YORK-, 1997 - Citeseer

... NT: 1. I/O and **event** HANDLE creation: First, an **application** creates a ... Moreover, due to the design of the JAWS **Event** Dispatcher framework, these ... **Web Client** ...

[Cited by 121](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 22 versions](#)

[... apparatus to make and **transmit** objects from a database on a **server** computer to a **client** ...](#)

M Williams - US Patent 6,591,272, 2003 - Google Patents

... Related US **Application** Data (60) Provisional **application** No ... 12- **Server** or High-Availability **Server** cluster (any ... UNIX or other non-PC **client**, **workstation** Kg,, ...

[Cited by 17](#) - [Related articles](#) - [All 2 versions](#)

[Reliable **event** delivery system](#)

US Patent 5,951,648, 1999 - Google Patents

... the invention in terms of an **application server** (or **event** generator) generating **events** for execution by a **client workstation** (**event** receptor). ...

[Cited by 8](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] *Low latency **workstation** cluster **communications** using sender-based protocols](#)

MR Swanson, LB Stoller - University of Utah, 1994 - Citeseer

... As each **client** issues a request to the **server**, it waits for an explicit ... sleep in the **event** ... Our next **application** is a port, currently underway, of the HP-UX X11 ...

[Cited by 16](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[\[PDF\] *An accelerated remote graphics architecture for PDAS](#)

F Lamberti, C Zunino, A Sanna, A Fiume, M ... - Proc. the 8th International Conference on 3D Web ..., 2003 - Citeseer

... When a new **event** is gener- ated by the visualization interface on the **client** handheld device ... overall latency of the mobile **application** between manipulation ...

[Cited by 38](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[\[PDF\] *Integrating synchronous and asynchronous collaboration with virtual network computing](#)

SF Li, Q Stafford-Fraser, A Hopper - IEEE Internet Computing, 2000 - Citeseer

... involves key and mouse **events**, and image ... Computing, **Communications** and **Applications**, ISBN 0 ... 11] JP Kanter, Understanding Thin-**Client/Server** Computing, Microsoft ...

[Cited by 26](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 23 versions](#)

[\[PDF\] *Macromedia Flash MX—A next-generation rich **client**](#)

J Allaire - White paper. Retrieved October, 2002 - c2isoft.in

... Component **events** enable developers to watch for changes in the state or ... Developers seeking to build rich **client**-side content and **applications** that work ...

[Cited by 39](#) - [Related articles](#) - [View as HTML](#) - [All 60 versions](#)

[... for remotely accessing an industrial control system over a commercial **communications** ...](#)

AD Papadopoulos, A Tanzman, RA Baker Jr, ... - US Patent 6,061,603, 2000 - Google Patents

... If **event**. ... The **client** supplied associated abort call back function ... The **application** task 58 posts request indications to the back plane driver 56, calls a routine ...

[Cited by 16](#) - [Related articles](#) - [All 2 versions](#)

Application fault tolerance with Armor middleware

Z Kalbarczyk, RK Iyer, L Wang - IEEE Internet Computing, 2005 - doi.ieeecomputersociety.org

... the **application's** threads; thus, the **application** doesn't ... level-2 extensions to the **client-side** database ... with the embedded armor) to **transmit events** from **client** ...

[Cited by 22](#) - [Related articles](#) - [All 5 versions](#)

Mapping GUIs to auditory interfaces- [psu.edu](#) [PDF]

ED Mynatt, WK Edwards - Proceedings of the 5th annual ACM symposium on User ..., 1992 - portal.acm.org

... can know when text or graphics are drawn, and when **events** (such as ... The **Application** ...

The PIM lies between the **client** and **server** and processes the **communication** ...

[Cited by 96](#) - [Related articles](#) - [All 21 versions](#)

Integrating information appliances into an interactive workspace

A Fox, B Johanson, P Hanrahan, T Winograd - IEEE Computer Graphics and **Applications**, 2000 - doi.ieeecomputersociety.org

... Rather than establishing tight **client-server** bindings (or ... indirect **communication** through the **event** heap for ... as **server** failures at the **application** level, they ...

[Cited by 249](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

The X window system- [rwth-aachen.de](#) [PDF]

RW Scheiffler, J Gettys - ACM Transactions on Graphics (TOG), 1986 - portal.acm.org

... X. Section 8 deals with input **event** handling ... and greatly simplifies the building of **client-side** interface ... have been used in various network-based **applications**. ...

[Cited by 963](#) - [Related articles](#) - [All 14 versions](#)

... for call center for synchronizing simultaneous telephone calls and TCP/IP **communications**

RG Goss, D Ravenscroft - US Patent 6,493,447, 2002 - Google Patents

... 12 of 15 US 6,493,447 BI **Client** Java A ... 14 are operated by live operators to **server** is provided ... and 5 specialized interactive voice response **applications** for pro ...

[Cited by 18](#) - [Related articles](#) - [All 2 versions](#)

The anatomy of a context-aware **application**- [psu.edu](#) [PDF]

A Harter, A Hopper, P Steggles, A Ward, P ... - Wireless Networks, 2002 - Springer

... monitoring service, which enables **event**-based location ... accessed via a proxy **server**, which receives CORBA calls from **client applications** and forwards ...

[Cited by 978](#) - [Related articles](#) - [BL Direct](#) - [All 39 versions](#)

Trusted **workstation** in a networked **client/server** computing system

RR Schell, DL Hale, WM Wiseman, JP ... - US Patent 6,477,648, 2002 - Google Patents

... of the information stored on a **client/server** net- worked ... to verify that it is from a authorized **server**. ... execution of the operating or **application** software on ...

[Cited by 8](#) - [Related articles](#) - [All 4 versions](#)

... caching objects received from an **application server** by a **client** computer by subdividing ...

Jl Krantz, MA Bloomfield, T Luu - US Patent 6,141,737, 2000 - Google Patents

... 31,2000 [54] METHOD FOR DYNAMICALLY AND EFFICIENTLY CACHING OBJECTS RECEIVED FROM AN **APPLICATION SERVER** BY A **CLIENT** COMPUTER BY SUBDIVIDING CACHE MEMORY BLOCKS ...

[Cited by 12](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] *Parallel interactive visualization of 3d mantle convection](#)

KE Jordan, DA Yuen, DM Reuteler, S Zhang, ... - IEEE Computational Science and Engineering, 1996 - static.msi.umn.edu

... boundary layer due to a previous flush **event**. ... areas as this geoscience **application** illustrates ... many of the concepts of pV3's **client-server** interactive parallel ...

[Cited by 17](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

[\[PDF\] *MONET: A multimedia system for conferencing and application sharing in distributed ...](#)

K Srinivas, R Reddy, A Babadi, S Kamana, V ... - ... Center, West Virginia University, Morgantown, WV, 1992 - cerc.wvu.edu

... **Client** Identify Request ... designing hardware mechanisms for introducing and processing synchronization **events**. ... Cooperative Multiuser Interface to X**applications**. ...

[Cited by 31](#) - [Related articles](#) - [View as HTML](#)

[Internet web interface including programmable logic controller for controlling output devices ...](#)

AG Swales, R Naismith, R Breinlinger, RA ... - US Patent 6,151,625, 2000 - Google Patents

... completion or error output, and calls the **application's** call back ... in a socket number, a task ID, and an **event**. ... It sends a message either to the **client** task 58 ...

[Cited by 9](#) - [Related articles](#) - [All 2 versions](#)

[Multicast channels for collaborative applications: design and performance evaluation](#)

MO Pendergast - ACM SIGCOMM Computer Communication Review, 1993 - portal.acm.org

... been successful using a centralized **client-server** architecture for ... under MS Windows, a Windows **event** message is ... The NIO registers the **application** with the Name ...

[Cited by 15](#) - [Related articles](#)

[Integrating audio and telephony in a distributed workstation environment- *kfupm.edu.sa \[PDF\]](#)

S Angebrannndl, RL Hyde, DH Luong, N ... - In Proceedings of Summer 1991 USENIX Conference, ..., 1991 - eprints.kfupm.edu.sa

... and maintained as a set of routines, each responding to some user stimulus or **server-generated event** such as sound ... to the **application**. The **client-side** library ...

[Cited by 24](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[A graphical user interface toolkit approach to thin-client computing- *psu.edu \[PDF\]](#)

S Lok, SK Feiner, WM Chiong, YJ Hirsch - Proceedings of the 11th international conference on ..., 2002 - portal.acm.org

... call to the **server** whenever a new **event** is generated on the **client** side. The actual se- mantics of the **event** handler as defined by the **application** logic is ...

[Cited by 8](#) - [Related articles](#) - [All 16 versions](#)

[\[PDF\] *A simple multiprocessor management system for event-parallel computing](#)

S Bracker, K Gounder, K Hendrix, D Summers - IEEE Transactions on Nuclear Science, 1996 - Citeseer

... (2) The **client** code, linked to the **application** code routines, (3) The tape-writing code, running on the **server**, which fetches **events** written to disk by ...

[Cited by 65](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 12 versions](#)

[Web interface to a programmable controller](#)

AD Papadopoulos, A Tanzman, RA Baker, RG ... - US Patent App. 09/738,445, 2000 - Google Patents

... sets either the MSTR's completion or error output, and calls the **application's** call back ... from the operating system 44 is a TCP/IP **event**, the **client** task 58 ...

[Cited by 7](#) - [Related articles](#) - [All 8 versions](#)

Using **events** to build distributed **applications**- [kfupm.edu.sa](#) [PDF]

J Bacon, J Bates, R Hayton, K Moody - Proc. 7th. ACM SIGOPS European Workshop, ..., 1996 - doi. [ieeecomputersociety.org](#)

... When a registration call is made to the **client** module it ... Services We have developed a number of **event** services to provide an **application** development testbed ...

[Cited by 81](#) - [Related articles](#) - [All 8 versions](#)

Method simulating data traffic on network in accordance with a **client**/sewer paradigm

CF Hanes, CK Mick - US Patent 5,440,719, 1995 - Google Patents

... with a traffic generator to create discrete **events** mimicking the ... NODE ADDRESSES, DECODE INFORMATION FOR **SERVER** AND **CLIENT** START **APPLICATION** PROGRAM AND ...

[Cited by 26](#) - [Related articles](#) - [All 2 versions](#)

... and apparatus for **communication** between at least one **client** and at least one **server**

J Li, JP Brunon - US Patent 5,699,523, 1997 - Google Patents

... an activ- 25 different sets of **client applications** program interfaces ... 34) keeps a record of clocked **events** information between ... for a certain with the **server** (36 ...

[Cited by 6](#) - [Related articles](#) - [All 2 versions](#)

Issues in the design of a flexible distributed architecture for supporting persistence and ...- [psu.edu](#) [PDF]

J Leigh, AE Johnson, TA DeFanti - Proceedings of the 1997 ACM/IEEE conference on ..., 1997 - portal.acm.org

... In fact, to **transmit** audio/video signals between ... to observe smaller subsets of **events** that occur ... CAVERNsoft fit together to build a **client/server application**. ...

[Cited by 52](#) - [Related articles](#) - [All 6 versions](#)

Method for controlling a network element from a remote **workstation**

MP Foley, KA Vangsness - US Patent 6,487,590, 2002 - Google Patents

... filter criteria that is valid for each **event** category; and ... A **client** executes **application** s via web pages at ... The **client** makes requests for various views of the ...

[Cited by 7](#) - [Related articles](#) - [All 4 versions](#)

A flexible and recoverable **client/server** database **event** notification system- [psu.edu](#) [PDF]

EN Hanson, IC Chen, R Dastur, K Engel, V ... - The VLDB Journal, 1998 - Springer

... The system architecture of the Ariel **event** processing sys- tem is ... A **client application** establishes **communication** with **server** processes through a ...

[Cited by 6](#) - [Related articles](#) - [All 6 versions](#)

Interactive **communication** system permitting increased collaboration between users

AJ Simonoff - US Patent 6,463,460, 2002 - Google Patents

... active content, active hyperlinks, and text, and each of the **client** computers **transmits** user-generated objects to the **server** computer for ...

[Cited by 7](#) - [Related articles](#) - [All 4 versions](#)

[PDF] *A framework for control and observation in distributed environments

W Smith - NASA Advanced Supercomputing Division, NASA Ames ..., 2001 - Citeseer

... our framework as it is used for new **applications**. ... likely provide Java implementations of **client** libraries so ... track the standards for grid **event** services that ...

[Cited by 27](#) - [Related articles](#) - [View as HTML](#) - [All 10 versions](#)

Remote procedural call component management method for a heterogeneous computer ...

GT Lam, A Malik, SK Ponnuswamy, TM Battle - US Patent 5,926,636, 1999 - Google Patents
... function in IOMAPI 412 by remote **client application** 411 is ... RFC command **client** 414
packages the function call in ... 400 to network stack 425 of **server** computer 420 ...

[Cited by 32](#) - [Related articles](#) - [All 2 versions](#)

... for efficiently transmitting interactive **application** data between a **client** and a **server** ...

DC Mitchell, B Walters, D Mitchell - US Patent 6,356,933, 2002 - Google Patents
... Using this approach, user interface **events** must be sent between the **client** and the
server in order for the **server application** to process the **events**. ...

[Cited by 3](#) - [Related articles](#) - [All 7 versions](#)

... testing an **application** in a **client/server** database system using pseudo-database **server** ...

T Eto, T Yoshizawa, K Shiga - US Patent 5,561,763, 1996 - Google Patents
... 1, 1996 [54] METHOD AND APPARATUS FOR TESTING AN **APPLICATION** IN A **CLIENT/SERVER**
DATABASE SYSTEM USING PSEUDO-DATABASE **SERVER** AND DEBUGGER PROCESSES [75 ...

[Cited by 17](#) - [Related articles](#) - [All 2 versions](#)

Client/server distribution of performance monitoring data

A Baghai, K Gharakhanian, GK Ishimoto, ... - US Patent 5,905,868, 1999 - Google Patents
... **client** process manages a connection with the **server** process on behalf of one or
more performance monitoring **applications** and relays data requests to the **server** ...

[Cited by 17](#) - [Related articles](#) - [All 2 versions](#)

Units of analysis for Internet **communication**- [indiana.edu](#)

J December - Journal of **Communication**, 1996 - questia.com
... using the NCSA (National Center for Supercomputing **Applications**) software. ... in the
Internet Relay Chat channel #current-**events** using a Telnet **client** from 10 pm ...

[Cited by 169](#) - [Related articles](#) - [BL Direct](#) - [All 9 versions](#)

... computing system using pseudo **server** process to allow input from different **server** ...

DB Berkowitz, MC Hao, HC Lieu, FD Snow - US Patent 5,392,400, 1995 - Google Patents
... THE **CLIENT** DISCARD THE REPLY/ **EVENT**/ ERROR NO ... sessions- use the ^ Window **client-server**
model executing ... Tfae microprocessor, CPU or other **application** level (not ...

[Cited by 89](#) - [Related articles](#) - [All 2 versions](#)

Coda: A highly available file system for a distributed **workstation** environment- [psu.edu](#) (PDF)

M Satyanarayanan, JJ Kistler, P Kumar, ME ... - IEEE Transactions on computers, 1990 - doi.ieeecomputersociety.org
... We refer to such an **event** as a ... Because of a lost callback, a **client** may continue
to use a ... Databases are a class of **applications** that we specifically do not ...

[Cited by 936](#) - [Related articles](#) - [All 43 versions](#)

Server/client architecture and method for multicasting on a computer network

K Sampat, T Acott, G Danneels, R Sivakumar, ... - US Patent 6,279,029, 2001 - Google Patents
... In the **server**, the media services manager receives the ... from the media service providers
and **transmits** the data ... When functioning as a **client**, the media services ...

[Cited by 8](#) - [Related articles](#) - [All 4 versions](#)

... in **client-server** environment by transmitting only delta files from **client** to **server**

RJT Morris - US Patent 5,634,052, 1997 - Google Patents

... substantial storage savings in backup **applications**, since frequently ... by carrying the differencing at the **client** rather than ... OS/2 or Apple **server**, the size of ...

Cited by 34 - Related articles - All 2 versions

Integrated data **communication** and data access system including the **application** data ...

P Jain, S Ahmed - US Patent 6,073,139, 2000 - Google Patents

... App1 REGISTERS INTEREST IN **EVENT** "X" L 24c1(b) ITC **CLIENT** VERIFIES **EVENT** TOKEN; REGISTERS **APPLICATION** CALLBACK „ 24c1(c) ITC **CLIENT** SENDS INTEREST ...

Cited by 2 - Related articles - All 2 versions

[PDF] *Frame-buffer on demand: **Applications** of stateless **client** systems in web-based learning

S Li, Q Stafford-Fraser, A Hopper - 5th International Conference on Information Systems ..., 1999 - Citeseer

... and the ubiquitous nature of WWW together result in a number of **applications** that can ... We compared our Stateless **Client** System with **event**-based systems ...

Cited by 4 - Related articles - View as HTML - All 8 versions

Client/server electronic mail system for providng off-line **client** utilization and seamless ...

R Gibbs, S Jaji - US Patent 5,832,218, 1998 - Google Patents

... includes removing redundant sequences within the logged **events**. ... log operations into the **server** upon reconne ... manager implementing 35 a **client** modification log ...

Cited by 12 - Related articles - All 2 versions

Dual ethernet protocol stack for maximum speed access to a programmable logic controller ...

AD Papadopoulos, A Tanzman, RH Naismith - US Patent 6,587,884, 2003 - Google Patents

... reading or error output, and calls the **application's** call back ... in a socket number, a task ID, and an **event**. ... It sends a message either to the **client** task 58 or ...

Cited by 4 - Related articles - All 2 versions

A comparison of **application** sharing mechanisms in real-time desktop conferencing systems

SR Ahuja, JR Ensor, SE Lucco - ACM SIGOIS Bulletin, 1990 - portal.acm.org

... **events**, such as keyboard and mouse **events**, do not ... A conference **server** that executes as a **client** of a ... The relationships among the **application** programs, the X ...

Cited by 82 - Related articles - All 2 versions

Adapting to network and **client** variability via on-demand dynamic distillation- *kfupm.edu.sa [PDF]

A Fox, SD Gribble, EA Brewer, E Amir - ACM SIGOPS Operating Systems Review, 1996 - portal.acm.org

... Specific API's for delivery of such **events** are described ... **client**- side agent mechanism allows legacy **applications** to reap ... 3 depict end-to-end **client** latency for ...

Cited by 426 - Related articles - BL Direct - All 7 versions

[PDF] *Music **server** system distributed music system on local area network.

T Aoyagi, K Hirata - J INF PROCESS., 1992 - brl.ntt.co.jp

... These **events** are stamped with the receiving time ... musical **application**, you build a musical-**application client**, first ... Then, the **client** makes a connection to Music ...

Cited by 3 - Related articles - All 4 versions

Signal transmission in SCADA system

BN Pishchik, AA Khundoyev, DO Shevchenko - Proceeding of the IASTED International Conference on ... - actapress.com

... servers will be "aware" of this **event**. ... **server** scheme, because the **server** itself notifies ... increases efficiency and improves safety of **client's applications**. ...

[Cited by 4](#) - [Related articles](#) - [All 2 versions](#)

Architecture and **applications** for a distributed embedded firewall- [acsa-admin.org](#) [PDF]

C Payne, T Markham - Statistical methods in computer security, 2005 - books.google.com

... in test mode will gener- ate audit **events** each time ... 1 for host **client** (Allow, Y, **client**,') for host ... **server** (Allow, TCP, 80,', web **server**) **applications** that are ...

[Cited by 36](#) - [Related articles](#) - [All 9 versions](#)

Distributed open inventor: A practical approach to distributed 3D graphics- [psu.edu](#) [PDF]

G Hesina, D Schmalstieg, A Fuhmann, W ... - Proceedings of the ACM symposium on Virtual reality ..., 1999 - portal.acm.org

... a button area in 3D and passes a "press button" **event** to the **application** code, which ... elements that execute in such a hybrid **client/server** style requires ...

[Cited by 94](#) - [Related articles](#) - [All 11 versions](#)

Trusted gateway agent for web **server** programs

MJ Reed, DA Arnovitz, C Watt, WR Jacobs - US Patent 5,903,732, 1999 - Google Patents

... uses a network port number when **communicating**) (Step 322 ... Secure Web Platofrm Trusted Gateway Agent **client application**. ... to the TGA **server**, **transmits** its argument ...

[Cited by 14](#) - [Related articles](#) - [All 2 versions](#)

Design Considerations for Mobile **Client-Server** Database **Applications**- [iit.edu](#) [PDF]

WG Yee, SB Navathe - Lecture notes in computer science, 2002 - Springer

... Dependency graphs are generated, and, in the **event** of bursty connectivity, the ... Design Considerations for Mobile **Client-Server** Database **Applications** 89 ...

[Cited by 2](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

Java-to-Database Connectivity **Server**

LM Maritzen, RD Dimaandal - US Patent 5,899,990, 1999 - Google Patents

... upon an occurrence of a defined **event**, a user ... the run() method 310 is an **application server** routine that ... is, in turn, transmitted back to the **client** by the ...

[Cited by 31](#) - [Related articles](#) - [All 6 versions](#)

Distributed framework for intertask **communication** between **workstation applications**

S Ahmed, SJ Dacic - US Patent 6,647,432, 2003 - Google Patents

... to the first **application** without routing that **event** information through the **server**. ... the window display of the particular **client application** on the ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

[PDF] *MediaADE: The MHEG-based distributed multimedia/hypermedia **Application** Development ...

SH Lee, CJ Wang - Proceedings of the World Conference on Educational ..., 1996 - media.inhatc.ac.kr

... **events** or messages, and methods for handling any **events** that **application** and ... environment and it places MHEG engine and **applications** to **client** and database ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#)

Method for supporting an extensible and dynamically bindable protocol stack in a ...

BJ Pedersen, WK Perry - US Patent 5,826,027, 1998 - Google Patents

... Thinwire—is used to **transmit** presentation commands ... applica- tion **server** and the **client workstation**. ... 100 and WinFrame™ **Application Server 200 Communications** ...

[Cited by 11](#) - [Related articles](#) - [All 3 versions](#)

Implementing a Physician's **Workstation** using **client/server** technology and the distributed ...- [nih.gov](#) (PDF)

TQ Pham, CY Young, PC Tang, HJ Suermondt, ... - ... Symposium on Computer **Application** in Medical Care, 1994 - pubmedcentral.nih.gov

... a much lighter work load, the **event** service now ... and RPC facility, we allowed **client applications** to interact with **server applications** without having ...

[Cited by 1](#) - [Related articles](#) - [BL Direct](#) - [All 2 versions](#)

The Jupiter audio/video architecture: secure multimedia in network places- [psu.edu](#) (PDF)

P Curtis, M Dixon, R Frederick, DA Nichols - Proceedings of the third ACM international conference ..., 1995 - portal.acm.org

... on," they will generally send back an **event** indicating that ... The Jupiter **application** performing the gluing would then ... and Camera widgets do for **client** programs. ...

[Cited by 34](#) - [Related articles](#) - [All 20 versions](#)

[PDF] **CAVERN**: A distributed architecture for supporting scalable persistence and interoperability ...

J Leigh, A Johnson, TA DeFanti - ... Reality: Research, Development and **Applications**, 1997 - evl.uic.edu

... The **client/server** may need to be notified so that appropriate ... It is inefficient for realtime VR **applications** to poll for ... the IRBi may call when the **event** arises ...

[Cited by 114](#) - [Related articles](#) - [View as HTML](#)

What You See is What I Want: Experiences with the Virtual X Shared Window System- [gatech.edu](#) (PDF)

I Smith, ED Mynatt, 1991 - smartech.gatech.edu

... X **server** X **server** Collaboration Aware **Application** ... Floor Control **Client** ... 1. Provide a 'virtual **workstation**' on which un- modi ed X **applications** can be run. ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

Method and apparatus for dynamically defining data **communication** utilities

SD Mattaway, GW Hutton, CB Strickland, JL ... - US Patent 6,226,678, 2001 - Google Patents

... processes can be Internet tele- phony **applications** each capable ... is definable by either the requesting **client** process or ... THE INTERNET USING A MAIL **SERVER** TO A ...

[Cited by 15](#) - [Related articles](#) - [All 2 versions](#)

[PDF] **The Zephyr** notification service

CA DellaFera, MW Eichin, RS French, DC ... - USENIX Association Winter Conference 1988 ..., 1988 - Citeseer

... users of a wide range of asynchronous service **events** that occur ... user of a Zephyr **client** or an **applications** programmer who is using the Zephyr **Client** Library ...

[Cited by 72](#) - [Related articles](#) - [View as HTML](#) - [All 62 versions](#)

Performance tuning of distributed **applications** with CoSMoS- [bth.se](#) (PDF)

C Steigner, J Wilke - INTERNATIONAL CONFERENCE ON DISTRIBUTED ..., 2001 - doi.ieeecomputersociety.org

... **Event** Records ... Based on the local timestamps **transmit**- ted along with the measurement data ... from the **client** to the **server** in a **client/server application** is easily ...

[Cited by 11](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

[PDF] [Analysis of Terminal **Server** Architectures for Thin Clients in a High Assurance Network](#)

SR Balmer, CE Irvine - Proceedings of the National Information Systems ... - Citeseer

... **client**, and the last is **client** soft- ware ... clients, while operating system and **application** processing takes ... terminal) keyboard keystrokes and mouse **events** to a ...

[Cited by 7](#) - [Related articles](#) - [View as HTML](#) - [All 15 versions](#)

[PS] [Measuring thin-**client** performance using slow-motion benchmarking](#)

SJ Yang, J Nieh, N Novik - usenix.org

... most importantly, it ensures that display **events** reliably complete on ... based systems employ a web browser **client** as a user interface to an **application server**. ...

[Cited by 66](#) - [Related articles](#) - [Cached](#) - [BL Direct](#) - [All 31 versions](#)

[Application of middleware in the three tier **client/server** database design methodology](#)

J Fong, R Hui - Journal of the Brazilian Computer Society, 1999 - SciELO Brasil

... are executed automatically when certain **event** happens, eg ... With the GUI, **application** activities are carried out at the ... cause an update at the **client** through the ...

[Cited by 1](#) - [Related articles](#) - [Cached](#) - [All 4 versions](#)

[PDF] [DCE: An environment for secure **client/server** computing](#)

MM Kong - Hewlett-Packard Journal, 1995 - hpl.hp.com

... 3 describes the flow of **events** that occur when ... The user can supply **server** location information to the ... via a configuration file, and **client application** code can ...

[Cited by 9](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 5 versions](#)

[BOOK] [Macromedia Flash **Communication Server** MX-](#) [cfconf.org](#) [PDF]

K Towes, 2002 - books.google.com

... 120 SharedObject Property 122 SharcdObject **Events** 122 How ... he main.asc File 194 **Application** Instances 195 ... Contents ix 12 **Client-Side** (Flash) ActionScript 227 ...

[Cited by 12](#) - [Related articles](#) - [All 5 versions](#)

[PDF] [CEV: collaborative environment for visualization using Java RMI](#)

RR Raje, M Boyles, S Fang - Concurrency Practice and Experience, 1998 - Citeseer

... environment providing message lters and **event** driven simulators ... For an **application** which generates a typical volume ... In CEV, each user (or **client**) connects to a ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 8 versions](#)

[PDF] [Supporting real-time and multimedia **applications** on the Mercuri testbed](#)

J Liu - IEEE Journal on Selected Areas in **Communications**, 1995 - Citeseer

... or the Sockets interface) follow a **client-server** model ... The **application** can directly take advantage of the ... or UDP facilitates interprocess **communication** which is ...

[Cited by 39](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 6 versions](#)

[... generation of platform independent software **applications** executed on a universal **client** ...](#)

AJ Simonoff, RL Taft, BT McLintock, LA ... - US Patent 6,078,322, 2000 - Google Patents

... SECOND GUISCRIPT MESSAGE TO UNIVERSAL **CLIENT** STEP 12 ... STEP 10 **APPLICATION** FORMS A SECOND **APPLICATION** MESSAGE FIG. ... a COMMAND // (eg, when triggered by an **event**). ...

[Cited by 8](#) - [Related articles](#) - [All 6 versions](#)

... for transmitting multimedia data from and **application** logic **server** to interactive multimedia ...

M Dudgeon, M Finley, T Tooley, J Wade - US Patent 5,790,792, 1998 - Google Patents

... For MPEG data, fee **client** simply receives fee raw ... network 300 from the remote "video **server"** **application** that is ... storage device 650 coupled to the **server** 600

[Cited by 8](#) - [Related articles](#) - [All 2 versions](#)

Systems and methods for utilizing a **communications** network for providing mobile users ...

RH Willis Jr, DR Jean, WL Harris - US Patent 6,738,815, 2004 - Google Patents

... Ser Microsoft Windows 95 TechNet **Client Application** 1 Microsoft Dialup Networking TechNet **Client** PC Nettech ... Data Center r™ TechNet **Server** L TechNet ...

[Cited by 1](#) - [Related articles](#) - [All 4 versions](#)

[PDF] -An architecture for group **communications**-support networked multimedia **applications**

J Zissopoulos, J Soldatos, E Vayias, G Branis, ... - ... -Performance **Communication** Systems, 1997.(HPCS'97 ..., 1997 - Citeseer

... not target at supporting large distributed **events**, where the ... between itself and the **Server** and from there on to other participants **Client applications**. ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

Method and apparatus to permit automated **server** determination for foreign system login

CJ White - US Patent 6,826,692, 2004 - Google Patents

... or generates a failed logon signal in the **event** the user ... before they can gain access to **applications** and systems ... LSS is an LSS designated in **client** software by ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

Vulnerability assessment and authentication of a computer by a local scanner

P Taylor, S Mewett, PC Brass, TR Doty - US Patent 7,178,166, 2007 - Google Patents

... 709/203,219,229; 726/25 See **application** file for ... compromise is high, the network **server** can decline to provide network services to the **workstation**. ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

Method and system for dynamically reconfiguring a cluster of computer systems

R Gorczyca, AA Rashid, KF Rodgers, S ... - US Patent 5,822,531, 1998 - Google Patents

... to receipt of a cluster reconfiguration **event**. ... runs a "front end" or **client application** that issues service requests to **server applications** running on ...

[Cited by 19](#) - [Related articles](#) - [All 2 versions](#)

Network image view **server** using efficient **client-server**, tiling and caching architecture

JC Cronin, CV Hornbaker - US Patent App. 09/770,392, 2001 - Google Patents

... To view an image, the **application** software transfers a copy ... image **server** sends HTML data to the **client** with pre ... the formatted output to the Web **server**, which in ...

[Cited by 4](#) - [Related articles](#) - [All 4 versions](#)

Methods and apparatus for accessing information from multiple remote sources

M Gerra, JR Offutt Jr - US Patent 7,350,150, 2008 - Google Patents

... both use electric, electromagnetic or optical observe **events** in each ... by The SABRE Group for general **client** work- code for an **application** program through ...

[Cited by 3](#) - [Related articles](#) - [All 6 versions](#)

JASMINE: Java **application** sharing in multiuser interactive environments- [psu.edu \[PDF\]](#)

A El Saddik, S Shirmohammadi, ND ... - Lecture notes in computer science, 2000 - Springer

... 2.1 JASMINE-**Client** The JASMINE **client** can be seen as a component adapter. Every **event** occurring at the graphical user interface of the **application** is sent ...

[Cited by 12](#) - [Related articles](#) - [BL Direct](#) - [All 12 versions](#)

[PDF] *... and implementation of an operating system to support distributed multimedia **applications**

IM Leslie, D McAuley, R Black, T Roscoe, P ... - IEEE Journal on Selected Areas in **Communications**, 1996 - Citeseer

... domain **communication** (IDC) systems can be built over **events**. ... resource use, and enable the **application** to schedule ... protection domain from the **client** (either the ...

[Cited by 346](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 20 versions](#)

... objects based on object-based prefetch primitive present in **client's** executing **application**

RG Drewry, D George, D Epperson - US Patent 5,925,100, 1999 - Google Patents

... **communication** from the **client** to the **server**, typically a ... is available to a particular **client**, it operates ... For instance, to load an **application** from an Internet ...

[Cited by 20](#) - [Related articles](#) - [All 2 versions](#)

Object-oriented **communication** interface for network protocol access using the selected newly ...

DD Heimsoth, GR Horn, M Sharma, LB Turner ... - US Patent 5,764,915, 1998 - Google Patents

... 20 Claims, 20 Drawing Sheets Create **communication** endpoint soi_ ... 48 **CLIENT APPLICATION**
49 **CLIENT** INTERFACE 50 PROTOCOL OBJECTS 51 **SERVER APPLICATION** 52 RAM ...

[Cited by 32](#) - [Related articles](#) - [All 2 versions](#)

Personalized real time information display as a portion of a screen saver

JM Farber, BL Hanson, KM Huber, DR ... - US Patent 5,819,284, 1998 - Google Patents

... providers and storing the 15 either **event**, the **client** ... with traffic provider 152, and financial **client** 144 is ... request from a screen saver **application** running on ...

[Cited by 30](#) - [Related articles](#) - [All 2 versions](#)

High performance machine for switched **communications** in a heterogeneous data ...

M Yasrebi - US Patent 5,463,625, 1995 - Google Patents

... using RFC interfaces to implement transparent **communications** across the ... 2, a **client workstation application** thread 21 and **server application** thread 22 on ...

[Cited by 41](#) - [Related articles](#) - [All 4 versions](#)

... for managing internet access on a per **application** basis for **client** computers connected to ...

G Freund - US Patent 5,987,611, 1999 - Google Patents

... as Java Script™) that a user **application** can or ... use, and rules to determine what **events** should be ... list of currently-active processes, each **client** process can ...

[Cited by 53](#) - [Related articles](#) - [All 2 versions](#)

Active polling by network LDAP directory

EJ Elleson, SD Kamat, A Krishna, R Rajan, ... - US Patent 6,101,541, 2000 - Google Patents

... or upon the occur- rence of a triggering **event**. ... 45 mation may also include **client** information, such as ... or pathways to access such **application** programs, private ...

[Cited by 10](#) - [Related articles](#) - [All 2 versions](#)

[ClusterProbe: an open, flexible and scalable cluster monitoring tool- psu.edu \[PDF\]](#)

Z Liang, Y Sun, CL Wang - Proc. IWCC - doi.ieeecomputersociety.org

... as pre-formatting modules and global **event** management ... system [4]. It follows **client-server** methodology and ... been accessed by parallel **applications** or subsystems ...

[Cited by 32](#) - [Related articles](#) - [All 17 versions](#)

[... node for allocating frame size for plural transmitting **applications** based upon negotiated ...](#)

MJ Baugher, JK Bigler, MR Simpson - US Patent 5,634,006, 1997 - Google Patents

... The requirements of multimedia **applications** make scheduling the ... a focus window to receive keyboard input **events**. The **Client** requests a resource by name and can ...

[Cited by 22](#) - [Related articles](#) - [All 2 versions](#)

[Client-server system with central **application** management allowing an administrator to ...](#)

KF Hayes Jr - US Patent 6,237,092, 2001 - Google Patents

... of Patent: May 22,2001 (54) **CLIENT-SERVER** SYSTEM WITH ... A context change **event** listener is provided as ... and causes the con- figuration **application** being executed ...

[Cited by 10](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] Design and implementation of important **applications** in a Java-based multimedia digital ...](#)

KC Lee, KN Chang, SS Yu, IC Chang, CW ... - IEEE Transactions on Consumer Electronics, 1997 - Citeseer

... point-to-point TCP connections for each **client** to **transmit** shared **events** and actions ...

system in this paper provides miscellaneous **applications** to build ...

[Cited by 8](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 11 versions](#)

[\[PDF\] PROVIDING MULTIMEDIA FACILITIES IN A **WORKSTATION** INDEPENDENT FORM](#)

MF Schulz, LJ Payne - assta.org

... overhead of processing audio requests and **events** at time ... Device independence: The **client applications** need to ... to be simply integrated into the **server**, and be ...

[Related articles](#)

[Electronic **communication** display system](#)

NK Frank III, E Lafreniere, 2002 - freepatentsonline.com

... In any **event**, the **client server** 38 communicates with the web ... [0032] The **application server** 18 and ... kits arranged by, for example, a particular **client** or **client** ...

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

event and client and application and

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google